
CSCI 3300 Assignment 3

Total estimated time for this assignment: **10 hours**

When you see “Richard Ricardo” in the example screen captures, change it to **<your name>**.

When you see “Richard” in the example screen captures, change it to **<your first name>**.

If you do not put **<your name>** / **<your first name>** in the above mentioned fields, you will get **0 points** for the question(s).

No two students should submit webpages with exactly the same code, or same content, or same layout, or same color combination. If found, **both** students will get **0 points**.

Create a folder on your hard disk, name the folder **lastname_firstname_assignment3**. Save all the files from this assignment in this folder.

Create the following subfolders (in the folder lastname_firstname_assignment3): **q1, q2, q3, q4, q5**.

As a result, you should have the following folder (directory) structure for this assignment:

- lastname_firstname_assignment3\q1\
- lastname_firstname_assignment3\q2\
- lastname_firstname_assignment3\q3\
- lastname_firstname_assignment3\q4\
- lastname_firstname_assignment3\q5\

Use Firefox **Web Console** (Tools > Web Developer > Web Console) to help debugging JavaScript. All html (JavaScript) files must pass JavaScript validation at Firefox Web Console without any error, without any warning (**-2 points for each error, each warning**).

- Turn on your Firefox **Menu Bar** (Hint: right-click).
- Make sure your Firefox is up to date (Help > About Firefox).
- Turn on Web Console when you code (Tools > Web Developer > Web Console).
- Fix any error/warning immediately when you see them. Do NOT accumulate errors.

When you view page source in a web browser, **<!DOCTYPE html>** must be at the top of every page. In other words, all pages must be written in HTML5. (**-20 points** if not)

Question 1 – JavaScript Chapter 1 (20 points)

Estimated time: 2 hours

- Save question 1 files in subfolder “**lastname_firstname_assignment3\q1**”.
- Create a web page that displays the default information (example shown) about **your favorite soccer team**.
- The initial page should look like the one shown below.
- **Prompt** the user to **enter the information**, and use that to replace the defaults.
- Create your page using “**<your name>**’s Favorite Soccer Team Page” as the page title. Save the page as **index.htm**. Remember to document the html file with html comments.


- Create a css file named **style.css** to format index.htm by creating your own layout (no two students should have the same layout). Use css comments to document the css program. You can use **the same (or similar) css file(s)** to format all questions.

Example: Initial Page



Example: Input





Example: Output



Question 2 – JavaScript Chapter 1 (20 points)

Estimated time: 2 hours

- Save question 2 files in subfolder “**lastname_firstname_assignment3\q2**”.
- Create a web page that contains **two buttons (heading tags with border)** as shown.
- When the first one is clicked, the user will be prompted to enter his/her favorite country’s name.
- When the second one is clicked, the user will be prompted to enter his/her favorite city’s name.
- The page will then be **updated** as shown.
- Create your page using “**<your name>**’s Favorite Country and City” as the page title. Save the page as **index.htm**. Remember to document the html file with html comments.
- Create a css file named **style.css** to format index.htm by creating your own layout (no two students should have the same layout). Use css comments to document the css program.

Example: Initial Page

Richard Ricardo's Favorite Country & City

This page will prompt Richard Ricardo for information on his favorite country and city.

Click on the button below to enter country and city

Click here to enter Richard's favorite country

Click here to enter Richard's favorite city

Richard's favorite country is _____

Richard's favorite city is _____

Example: Input

Richard Ricardo's Favorite Country & City

This page will prompt Richard Ricardo for information on his favorite country and city.

Click on the button below to enter country and city

Click here to enter Richard's favorite country

Click here to enter Richard's favorite city

Richard's favorite country is _____

Richard's favorite city is _____

What is Richard's favorite country?
Italy

OK Cancel

Richard Ricardo's Favorite Country & City

This page will prompt Richard Ricardo for information on his favorite country and city.

Click on the button below to enter country and city

Click here to enter Richard's favorite country

Click here to enter Richard's favorite city

Richard's favorite country is Italy

Richard's favorite city is _____

What is Richard's favorite city?
Rome

Prevent this page from creating additional dialogs

OK Cancel

Example: Output

Richard Ricardo's Favorite Country & City

This page will prompt Richard Ricardo for information on his favorite country and city.

Click on the button below to enter country and city

Click here to enter Richard's favorite country

Click here to enter Richard's favorite city


Richard's favorite country is Italy

Richard's favorite city is Rome


Question 3 – JavaScript Chapter 2 (20 points)**Estimated time: 2 hours**

- Save question 3 files in subfolder “**lastname_firstname_assignment3\q3**”.
- Create a web page that allows a user to create a **dance studio name** as shown.
- The user should be prompted to enter his or her **first name, last name,** and the **studio’s name**.
- The program should create a dance studio name that consists of the user’s **initials** concatenated with the **school name**, plus “**Studio**”, as shown.
- The page will then be **updated** as shown.
- Create your page using “**<your name>**’s Dance Studio Name” as the page title. Save the page as **index.htm**. Remember to document the html file with html comments.
- Create a css file named **style.css** to format index.htm by creating your own layout (no two students should have the same layout). Use css comments to document the css program.

Example: Initial Page



Example: Input



Example: Output

Richard Ricardo's Dance Studio Name

This page will prompt Richard Ricardo for information and create the name for his dance studio.

Click on the button below to enter names: e.g.

- First name = James
- Last name = Smith
- School name = Pretty

Username would be: **RGForce Studio**

Question 4 – JavaScript Chapter 2 (20 points)

Estimated time: 2 hours

- Save question 4 files in subfolder “**lastname_firstname_assignment3\q4**”.
- Create a web page that displays the cost of a dance ticket as shown.
- The user should be prompted to enter his or her **age**.
- The output should be a message telling the user what the customer’s soccer ticket will cost, based on the following criteria:
 - Under age 4 (age < 4), cost is \$3
 - Between ages 4 and 16, cost is \$7
 - Older than 16 (age > 16), cost is \$9
- The page will then be **updated** as shown.
- Create your page using “<your name>’s Dance Ticket Price” as the page title. Save the page as **index.htm**. Remember to document the html file with html comments.
- Create a css file named **style.css** to format index.htm by creating your own layout (no two students should have the same layout). Use css comments to document the css program.

Example: Initial Page

Richard Ricardo's Dance Ticket Price

This page will decide the cost of Richard's dance ticket price based on his customer's age.

Click on the button below to enter customer's age

- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 (4 ≥ age ≤ 16) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

Example: Input

The screenshot shows a web page with a green header and a light green background. The title is "Richard Ricardo's Dance Ticket Price". Below the title, there is a paragraph: "This page will decide the cost of Richard's dance ticket price based on his customer's age." A large green letter 'C' is followed by the text "lick on the butto customer's age". Below this, there are three bullet points:

- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 (4 ≤ age ≤ 16) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

At the bottom, there is a button labeled "Enter customer's Age". A modal dialog box is open in the center, titled "Enter customer's age:". It contains a text input field with the number "18" entered, and two buttons: "OK" and "Cancel".

Example: Output

The screenshot shows the same web page as the input example, but with the output displayed. The text "lick on the butto customer's age" is now "lick on the button below to enter customer's age". The bullet points are the same. The button "Enter customer's Age" is now disabled. Below the button, the text "Cost of Richard's ticket = \$9.00" is displayed in green.


Question 5 – JavaScript Chapter 2 (20 points)

Estimated time: 3 hours

- Save question 5 files in subfolder “**lastname_firstname_assignment3\q5**”.
- Create a web page that contains **two buttons (heading tags with border)** as shown.
- The web page should check to see if the user enters an age within a given age range.
- The user should be prompted to enter his or her **age**.
- Write a program that uses two different functions/methods to test if an input is between 16 and 18 (including 16 and 18).
- One function/method must use the AND operator (&&).
- One function/method must use the OR operator (||).
- The web page should display the two equivalent expressions.
- The results will then be **displayed** as shown.
- Create your page using “<your name>’s Age Range Check” as the page title. Save the page as **index.htm**. Remember to document the html file with html comments.

- Create a css file named **style.css** to format index.htm by creating your own layout (no two students should have the same layout). Use css comments to document the css program.

Example: Initial Page



Richard Ricardo's Age Range Check

This page will prompt Richard Ricardo for his age to check if he can play in the youth team (age 16 to 18).


Click on the buttons below to enter richard's age

Enter age to see if it is within the range of **16-18**.
Use **AND** logical operator.

Enter number to see if it is outside the range of **16-18**.
Use **OR** logical operator.

Example: Input

Note: Required input is the **same** for both buttons (heading tags with border)



Richard Ricardo's Age Range Check

This page will prompt Richard Ricardo for his age to check if he can play in the youth team (age 16 to 18).

Click on the buttons below to enter richard's age

Enter age to see if it is within the range of **16-18**.
Use **AND** logical operator.


Enter number to see if it is outside the range of **16-18**.
Use **OR** logical operator.

Enter number: 17


OK Cancel

Example: Output

Note: Output is the **same** for both buttons (heading tags with border), the difference is one function uses AND, one function uses OR, to check the range.



If user enters 17, output is shown above.



If user enters 21, output is shown above.

Important:

1. If you do not put **<your name>** / **<your first name>** in the above mentioned fields (as shown in the examples), you will get **0 points** for the question(s).
2. **No two students** should submit webpages with exactly the same code, or same content, or same layout, or same color combination. If found, both students will get **0 points**.
3. All html files must pass html validation at <http://validator.w3.org/> without any **error/warning** (with only 1 warning). Use the validator's "File Upload" tab to check each file.
4. When you view page source in a web browser, **<!DOCTYPE html>** must be at the top of every page. In other words, all pages must be written in HTML5. (**-20 points** if not)
5. All css files must pass css validation at <http://jigsaw.w3.org/css-validator/> without any **error/warning**.
6. All html (JavaScript) files must pass JavaScript validation at Firefox **Web Console** (Tools > Web Developer > Web Console) without any **error**, without any **warning**.
7. If your html file contains any css component, your html file must pass both html validation (3 above), and css validation (4 above) without any error.
8. If your files do not pass the validations, **2 points will be deducted** for **each error / warning** found.
9. Document (comment) your html files (**<!-- -->**), css files (**/* */**), and JavaScript files (**/* */**).

Submission instructions:

- You need to test the above document(s) in your web browser.
- Do screen capture(s) of the **initial page** and the related **output(s)**. Use any graphic editing software (e.g. Microsoft Paint, Adobe Fireworks, GIMP, or Microsoft Expression Design etc) to cut out the browser output (from the screen capture), paste them into a word document.
- For this assignment, you only need to do screen capture(s) of the **initial page** and the related **output(s)**, you do not need to do screen capture(s) of the input pages. Provide **2 different test cases** for each question. In other words, for **each question**, you need to have **1 initial page** screen capture and **2 related output(s)** screen captures.
- Do screen capture(s) of html validation results and css validation results, cut and paste them into the word document. You do not need to do screen capture(s) of JavaScript Lint validation results.
- Save the word document as a pdf file.

You need to submit the following:

1. A pdf file containing the screen capture(s) of the web browser output (all html pages) and the screen capture(s) of all html validation results (from <http://validator.w3.org/>) and css validation results (from <http://jigsaw.w3.org/css-validator/>), name the file **lastname_firstname_assignment03.pdf**.
2. All html file(s), css file(s), and other related files (e.g. image files). Zip your file folder (lastname_firstname_assignment3) into a single zip file (or rar file) **lastname_firstname_assignment03.zip**. In the above example, the zip file should contain the following files and subfolders. If there is any image, there should be a \images\ subfolder.

- lastname_firstname_assignment3\q1\index.htm
- lastname_firstname_assignment3\q1\style.css
- lastname_firstname_assignment3\q2\index.htm
- lastname_firstname_assignment3\q2\style.css // you may put style.css in a subfolder
- lastname_firstname_assignment3\q3\index.htm
- lastname_firstname_assignment3\q3\style.css
- lastname_firstname_assignment3\q4\index.htm
- lastname_firstname_assignment3\q4\style.css
- lastname_firstname_assignment3\q5\index.htm
- lastname_firstname_assignment3\q5\style.css

Please submit an electronic copy (the above mentioned **two files**: .pdf and .zip) to D2L digital dropbox.

Grading guidelines (programming questions):

Your programs will be judged on several criteria, which are shown below.

- Correctness (50%): Does the program compile (run) correctly? Does the program do what it's supposed to do?
- Design (20%): Are operations broken down in a reasonable way (e.g. classes and methods)?
- Style (10%): Is the program **indented** properly? Do variables have **meaningful names**?
- Robustness (10%): Does the program handle erroneous or unexpected input gracefully?
- Documentation (10%): Do all program files begin with a **comment** that identifies the author, the course code, and the program date? Are all the classes, methods and data fields clearly **documented (commented)**? Are unclear parts of code **documented (commented)**? (Some items mentioned may not apply to some languages)

A program that does not compile (run) will get at most **50% of the possible points**.