CSCI 4000 Assignment 6

Total estimated time for this assignment: 6 hours (if you are a good programmer)

The main programming language for this assignment should be **PHP** (mixed with HTML and CSS). If you do not use **PHP**, you will get **0 points**. For this assignment, you must use **PDO** (PHP Data Object) to interface with the MySQL database. If you do not use PDO, you will receive 0 points for almost all questions.

When you see "Richard Ricardo" or "richardricardo" in the examples and screen captures, change it to **<your name>**.

When you see "Richard" or "richard" in the example screen captures, change it to **<your first name>**. If you do not put **<your name>** / **<your first name>** in the above mentioned fields, you will get **0 points** for the question(s).

No two students should submit webpages with exactly the same code, content, layout, or color combination. If found, both students will get 0 points.

Create a folder on your hard disk, name the folder **lastname_firstname_assignment6.** Save all the files from this assignment in this folder.

Use XAMPP web server solution stack package to help debugging PHP code. It will make your debugging process easier. All php files must not produce any error, or any warning (-2 points for each error, each warning). Your program must run. A program that does not run will get at most 50% of the possible points. All files must begin with a comment that identifies the author, the course code, and the program date (- 2 points each question if found missing). All html, css and php files must be clearly documented (commented). Points will be taken off (-2 points each question) for insufficient comments (<!-->, /* */, //).

- Before adding PHP code, all html files must pass html validation at <u>http://validator.w3.org/</u> without any **error** (and with only 1 warning).
- When you view page source in a web browser, <!DOCTYPE html> must be at the top of every page. In other words, all pages must be written in HTML5. (-20 points if not)
 - You can put php code before <! DOCTYPE html>.
 - You cannot put html code before <! DOCTYPE html>.
- All css files must pass css validation at <u>http://jigsaw.w3.org/css-validator/</u> without any **error**. (-2 points for each error/warning, only 1 warning is allowed for html validator)

Question 1 – Database: PHP Chapter 4, eg008 and knowledge of SQL (10 points) Estimated time: 1 hour

- You created part the requested sql file in Assignment 3, Q1. You can copy create_db.sql from Assignment 3 and update the sql file, instead of creating a new file.
- Save question 1 files in folder "lastname_firstname_assignment6": (1 point)
 create db.sql
- Create a text file **create_db.sql**, write sql statements in the file to
 - Create a MySQL database richard_ricardo_assignment_db. (1 point)

- In the database, create 1 table.
 - student (1 point)
- Create the following fields (columns) for the table (refer to examples below for details).
 - student table: studentID, name, email, GPA (3 points)
 - studentID is the primary key of the student table (1 point)
- Insert test records to the student table. (3 points)
- Create a MySQL database username richardweb with password richardchocolate, with data privileges (select, insert, update, delete) for the richard_ricardo_assignment_db database. (1 point)
- All above must be done by SQL statements in the text file create_db.sql. (0 points if not)
- Load create_db.sql in XAMPP > phpMyAdmin to create the above mentioned database.
- Note: In the real world, do NOT put sql files in a website folder. Keep it offline and safe.

Example: "richard_ricardo_assignment_db" database and the table inside

| php <mark>MyAdmin</mark> 企图录回回 @ | ← ਗ਼Server 1 | 27 0 0 1 » 🗃 Dal | | 1000 | | 📑 Impo | rt 🥜 | Operation | B Privileges | ▼ M | ore |
|---|--------------|------------------|-------------|-------------|---------------|-------------|--------|-----------|-------------------|------------|----------|
| Recent Favorites | Table 🔺 | Action | | | | | Rows (| 🕖 Туре | Collation | Size | Overhead |
| H cdcol | student | 🚖 📃 Browse | Kructure | 👒 Search | 🕯 Insert 👾 Er | npty 🤤 Drop | | 11 InnoDB | latin1_swedish_ci | 16 KiB | - |
| information_schema | 1 table | Sum | | | | | : | InnoDB | latin1_swedish_ci | 16 KiB | 0 B |
| wungfu_panda_shop wungfu_panda_shop work work prformance_schema chand_ricardo_assignment_db N New work student | Chece | Data Dictionary | h selected: | V Number of | columns: 4 | ÷. | | | | | |
| € test € webauth | | | | | | | | | | | Go |

Example: "student" table structure

| phpMyAdmin | | | se: richard_ricardo_assio | gnment_db » 📷 Table: stude | | ort 💻 Privil | leges 🔻 More |
|---|---|--------------------|---------------------------|--|-------------------------------|--------------|----------------------------|
| Recent Favorites | # Name | Type Coll | lation Attribute | s Null Default Extra | Act | ion | |
| - Rew | 1 studentID | | | | 1.000 | | p 🔎 Primary 📊 Unique 🗢 Mor |
| cdcol | 2 name | varchar(255) latin | 1 swedish ci | No None | 0 | Change 🧿 Dro | p 🌽 Primary 😈 Unique 🗢 Mor |
| L_a information_schema L_a kungfu_panda_shop | | varchar(255) latin | - | No None | | | p 🔑 Primary 😈 Unique 🗢 Mor |
| | | decimal(4,2) | 1_owedion_er | No None | | | p 🥔 Primary 😈 Unique 🗢 Mor |
| La mysql | | decimal(4,2) | | NO NORE | 6 | change 🚽 Dio | p primary [] Onique V mor |
| performance_schema | ↑ Check | All With select | ed: 🔄 Browse 🥜 | Change 🤤 Drop 🤞 | Primary | Unique 🛛 🐖 | Index |
| - phpmyadmin | | | - | | | | |
| | Print view | Relation view | | a a Bh Move column | 2 | | |
| richard_ricardo_assignment_d | lb 🚔 Print view 🖓 | Relation view | Propose table structur | re 😡 🎲 Move column | S | | |
| richard_ricardo_assignment_d | | | | | | | |
| | lb Print view d BriAdd 1 € | | | re @ _b Move column: Beginning of Table ○ After | | Go | |
| ● Mew ● M student | | | | | | Go | |
| t Student → Sample | arian de la | | | | | Go | |
| Hew Student Sample test | aria Add 1 🖨 | | | | | Go | |
| New Sample test | arian de la serie | | t End of Table O At E | Beginning of Table O After | | Go | |
| | and a second se | | t End of Table O At E | | | Go | |
| New Sample test | and a second se | column(s) | t End of Table O At E | Beginning of Table O After | studentID ¥ | Go | |
| | in indexes + Indexes Information Spa | column(s) A | t End of Table O At E | Beginning of Table () After | studentiD v | Go | |
| New Sample test | and a set of the set | column(s) A | t End of Table O At E | Row statistics Compa latin1_swedish_ | studentiD v | Go | |
| New Sample test | BréAdd 1 € + Indexes Information Data Index | column(s) A | t End of Table O At E | Row statistics Compa latin1_swedish_ | studentID v ct ci 12 | Go | |
| New Sample test | BréAdd 1 € + Indexes Information Data Index | column(s) A | t End of Table At E | Row statistics Compa latin1_svedish_ | studentID v ct ci 12 | Go | |
| New Sample test | BréAdd 1 € + Indexes Information Data Index | column(s) A | t End of Table At E | Row statistics Compa latin1_svedish_ | studentID v ct ci 12 | Go | |

Example: "records" in student table

| php MyAdmin | | | | - | t_db » 🔜 Table: student | | - | | 8 |
|---|-------------------|-----------------|---------------|---------------------------|-------------------------|-------------|---------------------|---------------------|------|
| 🏠 🛃 🔂 😡 🗐 🤹 | Browse 🥢 | Structure | SQL | Search | Insert 🔜 Export | Import | t Privileges | ▼ More | |
| cent Favorites | | | | | | | | | |
| l cdcol | Showing rows |) - 10 (11 tota | I, Query took | 0.0004 seconds.) | | | | | |
| information_schema | | | | | | | | | |
| kungfu_panda_shop | SELECT * FROM | 'student' | | | | | | | |
|] mysql | | | | | | | | | |
| performance_schema | | | | | Profiling [Inlin | ne][Edit][| Explain SQL] [Cre | ate PHP Code] [Re | fres |
| phpmyadmin richard_ricardo_assignment_db | Number of rows: | 25 🛩 | Filter row: | s: Search this table | | | | | |
| New Student | Sort by key: None | | * | | | | | | |
| sample | + Options | | | | | 0.01 | | | |
|)) test | +T→ | | studentID | name DO BLACK | email | GPA 2.54 | | | |
| webauth | Edit 🛃 Cor | | | PO BLACK | poblack@gmail.com | 3.51 | | | |
| | Edit 3 Cor | | | SHIFU HOFFMAN | 0.0 | | | | |
| | Edit 3 Cor | 24 (1997) | | TIGRESS JOLIE | tigressjolie@gmail.com | 3.63 | | | |
| | Edit Be Cor | | | JENNIFER YUH | jenniferyuh@gmail.com | 1.44 | | | |
| | Edit 3 Cor | | | | oxstorming@gmail.com | 3.95 | | | |
| | Edit 3 Cop | a we a montes | | MONKEY CHAN | monkeychan@gmail.com | 2.37 | | | |
| | Edit de Cop | | | VIPER LIU MANTIS ROGEN | viperliu@gmail.com | | | | |
| | Edit 3 Cor | | | CRANE CROSS | mantisrogen@gmail.com | 3.72 | | | |
| | Edit 3 Cor | | | | cranecross@gmail.com | 0000000 | | | |
| | Edit 3 de Cop | | | OOGWAY KIM | oogway@gmail.com | 1.53 | | | |
| | 🗌 🥜 Edit 👫 Cop | oy 🥥 Delete | 11 | PING HONG | pinghong@gmail.com | 2.52 | | | |
| | ↑ Check A | II With s | elected: 🥖 | Change 😂 De | lete Export | | | | |

Example: data privileges for user richardweb

| (↔) (→) | hpmyadmin/index.php?token=be5bc?b61785919cb5cb1ce38a91e480 ♥ C □ □ Server: 127 0.0 1 □ □ Databases | | Image: Image |
|---|--|---------------------------------|--|
| Recent Favorites New Codcol information_schema Kunglu_panda_shop Company of Figure Participation Code Code Code Code Code Code Code Code | Global Database Change password Login Informat Edit Privileges: User <i>'richardweb'</i> @ | | |
| phpmyadmin ichard ricardo assignment db | Database Privileges | Grant Table-specific privileges | Action |
| | richard_ricardo_assignment_db select, insert, update, dele | TE NO NO | 🐉 Edit Privileges 🤱 Revoke |
| sample | Add privileges on the following database: Use text field: | ` | |
| • webauth | | | Go |
| | | | |

Question 2 – Connect: PHP Chapter 4, eg008/9 and knowledge of SQL (5 points) Estimated time: 0 hours

- You can copy your files from Assignment 3. Technically you do not need to do anything for this question if you finished Assignment 3.
- Save question 2 files in "lastname_firstname_assignment6": (5 points, -5 points if there is any error)
 - o main.css
 - o richard_ricardo_database.php
 - o richard_ricardo_database_error.php

合☆ 自 📑 -

- Create web page(s) that displays the default information (example shown).
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "richard ricardo's kung fu school" as the page title(s).
- Create file richard_ricardo_database.php (php code only, no html code) to connect to database
 - Use PDO (PHP Data Object) to interface with your MySQL database.
 - Connect to the **richard_ricardo_assignment_db** MySQL database (created in Q1), using username **richardweb** with password **richardchocolate**.
 - Use try {} catch () {} exception handling to detect if the connection is successful.
 - If the connection is not successful, show an error page richard_ricardo_database_error.php.


V C Q Search

• Create a css file named **main.css** to format all pages by creating your own layout (no two students should have the same layout). You should use **the same css file** to format all questions.

Example: richard_ricardo_database.php (shows nothing, only has php code)

localhost/my_php/ricardo_richard_assignment6/richard_ricardo_database.php

Example: richard_ricardo_database_error.php (shows this if something is wrong with database connection)



+)@

Question 3 – AJAX Search: PHP Chapter 4, eg008/9, SQL & AJAX (40 points) Estimated time: 2 hours

- Save question 3 files in folder "lastname_firstname_assignment6". (2 points)
 - o index.htm
 - richardricardo_search.php
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "richard ricardo's kung fu school" as the page title(s) (<title> tag). (2 points)
- The index.htm web page should (36 points, no points if not using ajax)
 - Allow user to enter a minimum GPA number.
 - Have a search button.
 - Display search results without re-loading the page (use ajax instead).
 - Create an XMLHttpRequest object in a JavaScript function, which is triggered by user clicking the button.
 - o The XMLHttpRequest object uses richardricardo_search.php to search the database.
 - **richardricardo_search.php** retrieves all the data from the student database table, with GPA value higher than the user input.
 - Use html table (or css) to format the output table (into rows and columns).
 - o The XMLHttpRequest object displays all retrieved data (without reloading index.htm).

Example: index.htm, before search

| | | -11 | |
|--------------------|-------------------|-----------------------|--------------------------------|
| Richard Ric | hardo Kun | g Fu School - S | Search Student |
| Search for stu | dents with th | e minimum GPA | |
| Minimum GPA: | 3.5 | | |
| | Search | | |
| Students with GPA | s higher than the | minimum GPA will be d | isplayed here. |
| | | | |
| Search & Split | | | |
| | | | |
| | | | © richard richardo kung fu sch |

Example: index.htm, after search

| Search tudent List (Students with | GPAs highe | r than 3.5): | |
|--------------------------------------|----------------|------------------------------------|------|
| tudent List (Students with | GPAs highe | r than 3.5): | |
| tudent List (Students with | GPAs higher | r than 3.5): | |
| | and the second | | |
| | | | |
| Student ID Nan | ne | Email | GPA |
| 1 F | O BLACK | poblack@gmail.com | 3.51 |
| 3 TIGRE | SS JOLIE | tigressjolie@gmail.com | 3.63 |
| 5 OX S | TORMING | oxstorming@gmail.com | 3.95 |
| 6 MONK | EY CHAN | monkeychan@gmail.com | 4.00 |
| | LI CHAN ; | , | |
| O MONN | | I I U I KEVCI AI WUI I AI . CUIT - | 4.00 |

Question 4 – AJAX Search Split: PHP Ch 4, eg008/9, SQL, AJAX (45 points)
Save question 4 files in folder "lastname firstname assignment6". (2 points)

- richard ricardo ajaxsearch single.htm
 - richardricardo_search_single.php
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "richard ricardo's kung fu school" as the page title(s) (<title> tag). (2 points)
- When a user click on "Search & Split" link on index.htm, the user should be directed to richard_ricardo_ajaxsearch_single.htm. (2 points)
- The richard_ricardo_ajaxsearch_single.htm web page should (39 points, no points if not using ajax)
 - Allow user to enter a studentID.
 - Have a search button.
 - Display search results without re-loading the page (use ajax instead).
 - Have four **read-only** textboxes for output.
 - Create an XMLHttpRequest object in a JavaScript function, which is triggered by user clicking the button.
 - o The XMLHttpRequest object uses richardricardo_search_single.php to search the database.
 - **richardricardo_search_single.php** retrieves a row from the student database table, with the studentID value matching the user input.
 - The XMLHttpRequest object uses the four textboxes to display the retrieved data. Do not recreate the four textboxes. Put data into the existing textboxes. (-10 points if recreating textboxes)
 - You were not taught how to split retrieved data. You need to do some research on this topic.
 - Hint: ajaxRequest.responseText.split("").

| Search for st | tudents by student | D | |
|----------------|--------------------------|-------------------------|--|
| StudentID: | 3 | | |
| Student inform | Search | in the textboxes below: | |
| Student ID: | action will be displayed | | |
| Student Name: | | | |
| Email: | | | |
| GPA: | | | |
| | | | |
| GPA: | | _ | |

Example: richard_ricardo_ajaxsearch_single.htm, user input

Example: richard_ricardo_ajaxsearch_single.htm, after search

| | hardo Kung Fu School - Search & Split |
|--------------------|---|
| Search for stu | dents by studentID |
| StudentID: | 3 Search |
| Student informat | ion will be displayed in the textboxes below: |
| Student ID: | 3 |
| Student Name: | TIGRESS JOLIE |
| Email: | tigressjolie@gmail.com |
| GPA: | 3.63 |
| Back to first page | |
| | © richard richardo kung fu school |

Important:

- 1. If you do not put **<your name>** / **<your first name>** in the above mentioned fields (as shown in the examples), you will get **0 points** for the question(s).
- 2. No two students should submit webpages with exactly the same code, content, layout, or color combination. If found, both students will get **0** points.
- 3. Before adding PHP code, all html files must pass html validation at <u>http://validator.w3.org/</u> without any **error** (and with only 1 warning). Use the validator's "File Upload" tab to check each file.
 - a. If you want to validate a PHP file after adding PHP code, you can temporarily rename the *.php file to *.htm file.
 - b. When you view page source in a web browser, <!DOCTYPE html> must be at the top of every page. In other words, all pages must be written in HTML5. (-20 points if not)
 - c. If any html error is found, 2 points will be deducted for each error. Please validate the files before adding PHP code.
- 4. All css files must pass css validation at <u>http://jigsaw.w3.org/css-validator/</u> without any **error**.
- 5. If your files do not pass the html and css validations, **2 points will be deducted** for **each html or css error** found (no deduction for php error at html validation).
- 6. Document (comment) your HTML files (<!-- -->), CSS files (/* */), and PHP files (/* */ OR //). Points will be taken off for insufficient comments (<!-- -->, /* */, //).

Submission instructions:

- You need to test all document(s).
- Do screen capture(s) of the **input** and the related **output(s)**. Use any graphic editing software (e.g. Microsoft Paint, Adobe Fireworks, GIMP, or Microsoft Expression Design etc) to cut out the browser output (from the screen capture), paste them into a word document.
- Provide 2 different test cases for each question. In other words, for each question, you may need to have 2 input screen captures and 2 related output screen captures.
- Do NOT need to do screen capture(s) of html validation results and css validation results for this assignment.
- Save the word document as a pdf file.

You need to submit the following:

1. A pdf file containing the screen capture(s) of the web browser input and output pages, name the file **lastname_firstname_assignment6.pdf**.

2. All html file(s), php file(s), css file(s), and other related files (e.g. image files). Zip your file folder (**lastname_firstname_assignment6**) into a single zip file (or rar file) **lastname_firstname_assignment6.zip**. In the above example, the zip file should contain the following files and subfolders. If there is any image, there should be a \images\ subfolder.

- lastname_firstname_assignment6\create_db.sql
- lastname_firstname_assignment6\index.htm
- lastname_firstname_assignment6\main.css
- lastname_firstname_assignment6\richard_ricardo_ajaxsearch_single.htm
- lastname_firstname_assignment6\richard_ricardo_database.php
- lastname_firstname_assignment6\richard_ricardo_database_error.php
- lastname_firstname_assignment6\richardricardo_search.php
- lastname_firstname_assignment6\richardricardo_search_single.php

Please submit the above mentioned **two files** (.pdf and .zip) to D2L digital dropbox.

Grading guidelines (programming questions):

Your programs will be judged on several criteria, which are shown below.

- Correctness (50%): Does the program compile (run) correctly? Does the program do what it's supposed to do?
- Design (20%): Are operations broken down in a reasonable way (e.g. classes and methods)?
- Style (10%): Is the program **indented** properly? Do variables have **meaningful names**?
- Robustness (10%): Does the program handle erroneous or unexpected input gracefully?
- Documentation (10%): Do all program files begin with a **comment** that identifies the author, the course code, and the program date? Are all the classes, methods and data fields clearly **documented** (**commented**)? Are unclear parts of code **documented** (**commented**)? (Some items mentioned may not apply to some languages)

A program that does not compile (run) will get at most 50% of the possible points.