
CSCI 4000 Assignment 1

Total estimated time for this assignment: **9 hours** (if you are a good programmer)

The main programming language for this assignment should be **PHP** (mixed with HTML and CSS). If you do not use **PHP**, you will get **0 points**.

When you see “Richard Ricardo” in the example screen captures, change it to **<your name>**.

When you see “Richard” in the example screen captures, change it to **<your first name>**.

If you do not put **<your name>** / **<your first name>** in the above-mentioned fields, you will get **0 points** for the question(s).

No two students should submit webpages with the same code, content, layout, or color combination. If found, **both** students will get **0 points**.

Create a folder on your hard disk, name the folder **lastname_firstname_assignment1**. Save all the files from this assignment in this folder.

Create the following subfolders (in the folder **lastname_firstname_assignment1**): **q1, q2, q3**.

As a result, you should have the following folder (directory) structure for this assignment:

- lastname_firstname_assignment1\q1\
- lastname_firstname_assignment1\q2\
- lastname_firstname_assignment1\q3\

Use XAMPP web server solution stack package to help debugging PHP code. It will make your debugging process easier. All php files must not produce any error, or any warning (**-2 points for each error, each warning**). Your program must run. A program that does not run will get at most **50% of the possible points**. All files must begin with a **comment** that identifies the author, the course code, and the program date (**- 2 points each question** if found missing). All html, css and php files must be clearly **documented (commented)**. Points will be taken off (**-2 points each question**) for insufficient comments (`<!-- -->`, `/* */`, `//`).

- Before adding PHP code, all html files must pass html validation at <http://validator.w3.org/> without any **error** (and with only 1 warning).
- When you view page source in a web browser, `<!DOCTYPE html>` must be at the top of every page. In other words, all pages must be written in HTML5. (**-20 points** if not)
 - You **can** put php code before `<!DOCTYPE html>`.
 - You **cannot** put html code before `<!DOCTYPE html>`.
- All css files must pass css validation at <http://jigsaw.w3.org/css-validator/> without any **error**. (**-2 points for each error/warning**, only 1 warning is allowed for html validator)

Question 1 – PHP Chapter 2 (33 points)**Estimated time: 3 hours**

- Save the files in subfolder “**lastname_firstname_assignment1\q1**”. (1 point)
- Create a web page to capture information about **your movie**.
- The initial page should look like the one shown below. (3 points)
- **Allow** the user to **enter the information** to the five textboxes. (5 points)
- Create your pages using “**<your name>**’s Movie Page” as the page titles (<title> tag). (2 points)
- Save the first page as **index.htm** (2 points). Use a HTML form to capture user input. Submit the form to a second file **index_process.php** using the **POST Method**. (5 points)
- The second page **index_process.php** will then be **updated** as shown. It contains a link to go back to the first page. (10 points)
- Create a css file named **style.css** to format all pages by creating your own layout (no two students should have the same layout). You can use **the same (or similar) css file(s)** to format all questions. (5 points)

Example: Test case 1 input

The screenshot shows a web browser window with the URL `localhost/my_php/ricardo_richard_assignment1/q1/index.htm`. The page has a dark blue background with a white title bar. The main heading is "Richard Ricardo's Favorite Movie" in large white text. Below the heading, there is a message: "This page will prompt Richard Ricardo for information on his favorite movie." followed by "Click on the button below to enter new information". The form consists of five rows, each with a label and a text input field:

Movie Name:	Kung Fu Panda
Directed by:	John Stevenson
Release Date:	2008
Budget (US\$, million):	130
Box Office (US\$, million):	632

At the bottom of the form is a "submit" button.

Example: Test case 1 output

The screenshot shows a web browser window with the URL `localhost/my_php/ricardo_richard_assignment1/q1/index_process.php?team=Kung+`. The page has a dark blue background with a white title bar. The main heading is "Richard Ricardo's Favorite Movie" in large white text. Below the heading, there is a message: "This page displays the information of Richard Ricardo's favorite movie." followed by a list of movie details:

- Movie Name: Kung Fu Panda
- Directed by: John Stevenson
- Release Date: 2008
- Budget (US\$, million): 130
- Box Office (US\$, million): 632
- Profit (US\$, million): $632 - 130 = 502$ (million)

At the bottom of the page is a link: [back to first page](#)

Example: Test case 2 input

Richard Ricardo's Favorite Movie

This page will prompt Richard Ricardo for information on his favorite movie.

Click on the button below to enter new information

Movie Name:	<input type="text" value="Kung Fu Panda 2"/>
Directed by:	<input type="text" value="Jennifer Yuh Nelson"/>
Release Date:	<input type="text" value="2011"/>
Budget (US\$, million):	<input type="text" value="150"/>
Box Office (US\$, million):	<input type="text" value="665.7"/>

Example: Test case 2 output

Richard Ricardo's Favorite Movie

This page displays the information of Richard Ricardo's favorite movie.


- Movie Name: Kung Fu Panda 2
- Directed by: Jennifer Yuh Nelson
- Release Date: 2011
- Budget (US\$, million): 150
- Box Office (US\$, million): 665.7
- Profit (US\$, million): $\$665.7 - \$150 = \$515.7$ (million)

[back to first page](#)


Question 2 – PHP Chapter 2 & 8 (33 points)**Estimated time: 3 hours**

- Save the files in subfolder “**lastname_firstname_assignment1\q2**”. (1 point)
- Create web page(s) that displays the cost of a movie ticket as shown. (4 points)
- Allow user to enter his or her **age**. (2 points)
- The output should be a message telling the user what the customer’s movie ticket will cost, based on the criteria show on screen captures below: (12 points for logic)
- Create your pages using “**<your name>**’s Movie Ticket Price” as the page titles (<title> tag). (4 points)
- Save the first page as **index.htm**. Use an HTML form to capture user input. Submit the form to a second file **index_process.php** using the **GET method**. (5 points)
- The second page **index_process.php** will then be **updated** as shown. It contains a link to go back to the first page. (5 points)
- Create a css file named **style.css** to format all pages by creating your own layout (no two students should have the same layout). You can use **the same (or similar) css file(s)** to format all questions. (5 points)

Example: Test case 1 input



Example: Test case 1 output



Example: Test case 2 input

Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.

- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

Please enter Richard's age

years old

Example: Test case 2 output

Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.

- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

Richard is 16 years old, and the cost of Richard's ticket is \$8.00.


[back to first page](#)

Question 3 – PHP Chapter 2 & 8 (34 points)

Estimated time: 3 hours

- Save the files in subfolder “**lastname_firstname_assignment1\q3**”. (1 point)
- Create a web page that displays the default information (example shown).
- The initial page and related outputs should look like the examples shown below. (4 points)
- Create your pages using “**<your name>**’s Kung Fu Panda Po Power Level” as the page titles (<title> tag). (4 points)
- Allow the user to **enter a number** representing Kung Fu Panda Po's power level (2 points).
- The power level conversion criteria are shown in the following screen captures: (12 points for logic)
- Save the first page as **index.htm**. Use a HTML form to capture user input. Submit the form to a second file **index_process.php** using the **POST method**. (5 points)
- The second page **index_process.php** will then be **updated** as shown. It contains a link to go back to the first page. (5 points)
- Create a css file named **style.css** to format all pages by creating your own layout (no two students should have the same layout). You can use **the same (or similar) css file(s)** to format all questions. (5 points)

Example: Test case 1 input



Richard Ricardo's Kung Fu Panda Po Power Level


This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po starts to teach kung fu
0 to 20: Po discovers teaching is not easy
21 to 40: Po learns to master Qi
41 to 60: Po teaches panda villagers
61 to 80: Po becomes a master of Qi
Greater than 80: Po defeats Kai

Click on the button below to submit Po's power level.

Po's power level:

Example: Test case 1 output



Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po starts to teach kung fu
0 to 20: Po discovers teaching is not easy
21 to 40: Po learns to master Qi
41 to 60: Po teaches panda villagers
61 to 80: Po becomes a master of Qi
Greater than 80: Po defeats Kai

Po's power level is 25.

Po learns to master Qi.

[back to first page](#)

Example: Test case 2 input

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po starts to teach kung fu
0 to 20: Po discovers teaching is not easy
21 to 40: Po learns to master Qi
41 to 60: Po teaches panda villagers
61 to 80: Po becomes a master of Qi
Greater than 80: Po defeats Kai

Click on the button below to submit Po's power level.

Po's power level:

Example: Test case 2 output

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po starts to teach kung fu
0 to 20: Po discovers teaching is not easy
21 to 40: Po learns to master Qi
41 to 60: Po teaches panda villagers
61 to 80: Po becomes a master of Qi
Greater than 80: Po defeats Kai

Po's power level is 90.

Po defeats Kai.

[back to first page](#)

Important:

1. If you do not put `<your name>` / `<your first name>` in the above-mentioned fields (as shown in the examples), you will get **0 points** for the question(s).
2. **No two students** should submit webpages with the same code, content, layout, or color combination. If found, both students will get **0 points**.
3. Before adding PHP code, all html files must pass html validation at <http://validator.w3.org/> without any **error** (and with only 1 warning). Use the validator's "File Upload" tab to check each file.
 - a. index.htm file must be validated.
 - b. When you view page source in a web browser, `<!DOCTYPE html>` must be at the top of every page. In other words, all pages must be written in HTML5. (**-20 points** if not)
 - c. You don't need to validate index_process.php after adding php code. If any html error is found, 2 points will be deducted for each error. Please validate the file before adding PHP code.
4. All css files must pass css validation at <http://jigsaw.w3.org/css-validator/> without any **error**.
5. If your files do not pass the html and css validations, **2 points will be deducted for each html or css error** found (no deduction for php error at html validation).
6. Document (comment) your HTML files (`<!-- -->`), CSS files (`/* */`), and PHP files (`/* */` OR `//`). **Points will be taken off** for insufficient comments (`<!-- -->`, `/* */`, `//`).

Submission instructions:

- You need to test all document(s).
- Do screen capture(s) of the **input** and the related **output(s)**. Use any graphic editing software (e.g. Microsoft Paint, Adobe Photoshop, or GIMP etc) to cut out the browser output (from the screen capture), paste them into a word document.
- Provide **2 different test cases** for each question. In other words, for **each question**, you may need to have **2 input** screen captures and **2 related output** screen captures.
- Do screen capture(s) of html validation results (index.htm files only) and css validation results (style.css file only), cut and paste them into the word document. If you use the same style.css file, you only need to do screen capture of one style.css file.
- Save the word document as a pdf file.

You need to submit the following:

1. A pdf file containing the screen capture(s) of the web browser input and output pages, and the screen capture(s) of all html validation results (from <http://validator.w3.org/>) and css validation results (from <http://jigsaw.w3.org/css-validator/>), name the file **lastname_firstname_assignment1.pdf**.
2. All html file(s), php file(s), css file(s), and other related files (e.g. image files). Zip your file folder (**lastname_firstname_assignment1**) into a single zip file (or rar file) **lastname_firstname_assignment1.zip**. In the above example, the zip file should contain the following files and subfolders. If there is any image, there should be a \images\ subfolder.

- lastname_firstname_assignment1\q1\index.htm
- lastname_firstname_assignment1\q1\index_process.php
- lastname_firstname_assignment1\q1\style.css // you may put style.css in a subfolder
- lastname_firstname_assignment1\q2\index.htm
- lastname_firstname_assignment1\q2\index_process.php
- lastname_firstname_assignment1\q2\style.css
- lastname_firstname_assignment1\q3\index.htm
- lastname_firstname_assignment1\q3\index_process.php
- lastname_firstname_assignment1\q3\style.css

Please submit the above mentioned **two files** (.pdf and .zip) to D2L digital dropbox.

Grading guidelines (programming questions):

Your programs will be judged on several criteria, which are shown below.

- Correctness (50%): Does the program compile (run) correctly? Does the program do what it's supposed to do?
- Design (20%): Are operations broken down in a reasonable way (e.g. classes and methods)?
- Style (10%): Is the program **indented** properly? Do variables have **meaningful names**?
- Robustness (10%): Does the program handle erroneous or unexpected input gracefully?
- Documentation (10%): Do all program files begin with a **comment** that identifies the author, the course code, and the program date? Are all the classes, methods and data fields clearly **documented (commented)**? Are unclear parts of code **documented (commented)**? (Some items mentioned may not apply to some languages)

A program that does not compile (run) will get at most **50% of the possible points**.