CSCI 4000 Assignment 6

Total estimated time for this assignment: 6 hours (if you are a good programmer)

The main programming language for this assignment should be **PHP** (mixed with HTML and CSS). If you do not use **PHP**, you will get **0 points**. For this assignment, you must use **PDO** (PHP Data Object) to interface with the MySQL database. If you do not use PDO, you will receive 0 points for almost all questions.

When you see "Richard Ricardo" or "richardricardo" in the examples and screen captures, change it to **<your name>**.

When you see "Richard" or "richard" in the example screen captures, change it to **<your first name>**. If you do not put **<your name>** / **<your first name>** in the above mentioned fields, you will get **0 points** for the question(s).

No two students should submit webpages with exactly the same code, content, layout, or color combination. If found, both students will get 0 points.

Please change the provided example's layout and color combination (color scheme). If you use (copy) ANY of the provide example's color combination, 10 points will be deducted (-10 points).

Create a folder on your hard disk, name the folder **lastname_firstname_assignment6**. Save all the files from this assignment in this folder.

Use XAMPP web server solution stack package to help debugging PHP code. It will make your debugging process easier. All php files must not produce any error, or any warning (-2 points for each error, each warning). Your program must run. A program that does not run will get at most 50% of the possible points. All files must begin with a comment that identifies the author, the course code, and the program date (- 2 points each question if found missing). All html, css and php files must be clearly documented (commented). Points will be taken off (-2 points each question) for insufficient comments (<!-->, /* */, //).

- When you view page source in a web browser, <!DOCTYPE html> must be at the top of every page. In other words, all pages must be written in HTML5. (-20 points if not)
 - You can put php code before <! DOCTYPE html>.
 - You cannot put html code before <! DOCTYPE html>.
- Before adding PHP code, all html files must pass html validation at <u>http://validator.w3.org/</u> without any error (and with only 1 warning).
- After adding PHP code, the generated html code (Firefox web browser > right-click > view page source) must also pass html validation at http://validator.w3.org/ without any error (and with only 1 warning).
- All css files must pass css validation at <u>http://jigsaw.w3.org/css-validator/</u> without any **error**. (-2 points for each error/warning, only 1 warning is allowed for html validator)

Question 1 – Database: PHP Chapter 4, eg008 and knowledge of SQL (10 points) Estimated time: 1 hour

- You created part the requested sql file in Assignment 3, Q1. You can copy create db.sql from Assignment 3 and update the sql file, instead of creating a new file.
- Save question 1 files in folder "lastname firstname assignment6": (1 point)
 - o create db.sql
- Create a text file create db.sql, write sql statements in the file to
 - 0 Create a MySQL database richard ricardo avenger db. (1 point)
 - In the database, create 1 table. 0
 - hero character (1 point)
 - Create the following fields (columns) for the table (refer to examples below for details). 0
 - hero character table: hero id, name, real name, citizenship (3 points)
 - hero id is the primary key of the character table (1 point)
 - Insert test records to the hero character table. (3 points) 0
 - Create a MySOL database username **richarduser** with password **richardpowerability**, with data 0 privileges (select, insert, update, delete) for the richard ricardo avenger db database. (1 point)
 - 0 All above must be done by SQL statements in the text file create db.sql. (0 points if not)
 - Load create db.sql in XAMPP > phpMyAdmin to create the above mentioned database.
- Note: In the real world, do NOT put sql files in a website folder. Keep it offline and safe.

Example: "richard ricardo avenger db" database and the table inside

<u>File Edit View History Bookmarks</u>	Jools Help	— C		×
🖟 localhost / 127.0.0.1 / richard_ric×	+			
\leftarrow \rightarrow C \textcircled{a}	🛇 🗅 localhost/phpmyadmin/index.php?route=/database/structure&server=1&db=richard_ricardo_avenger_db 🏠	${igsidential}$	lii\ ÷	≡
phpMyAdmin	← IIServer: 127 0.0.1 » II Database: richard_ricardo_avenger_db		0	~
🏠 🧾 😣 🗊 🌼 🤤	📝 Structure 🖉 SQL 🔍 Search 🗊 Query 🚍 Export 🔂 Import 🎤 Operations 🖭 Privileges 💩 Routines 😒	Events	▼ M	ore
Recent Favorites				
(a)	Filters			
New	Containing the word:			
🖶 🎬 leonda	Table A Action Rows O Type Collation Size	Overhe	ead	
mysql performance_schema	🔲 hero_character 🌟 📑 Browse 🎉 Structure 👒 Search 👫 Insert 🚍 Empty 😂 Drop 10 InnoDB utf8mb4_general_ci 16.0 K.		-	
phpmyadmin	1 table Sum 10 InnoDB utf8mb4_general_ci 16.0 K	пв (в	
ichard_ricardo_avenger_db Rew Horo_character	Check all With selected: ✓			
i test	🚔 Print 👼 Data dictionary			
	Create table			
	Name: Number of columns: 4			
	Go			
				-
				-
<				>


Example: "hero_character" table structure

<u>File Edit View History B</u> ookmarks <u>T</u> o	ools <u>H</u> elp									-		×
🎎 localhost / 127.0.0.1 / richard_ric×	+											
\leftarrow \rightarrow C \textcircled{a}	O 🗅 localhost/php	myadmin/index.p	ohp?route=/table/st	tructure&db=r	ichard_ri	icardo_aver	iger_db&table	e=hero_character	☆	0	9 111	\equiv
phpMyAdmin	← IServer: 127.0.0.1	» 🗐 Database: ri	chard_ricardo_aveng	er_db » 🐻 Tai	ole: hero_	eharaeter					۵	~ ′
<u>Ω 51</u> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Browse M Str	ucture 📗 S	QL 🔍 Search	3-i Insert	📑 Ex	port 👼	Import	Privileges 🥜 C	perations 26	Triggers		
Recent Favorites	Table structure	Relatio	n view									
∞ — ⊡ New	# Name	Туре	Collation	Attributes	Null	Default	Comments	Extra	Action			-
+- information_schema	🗌 1 hero_id 🔌	int(11)			No	None		AUTO_INCREMENT	🥜 Change	Drop	₩ More	е
eonda Hansel	2 name	varchar(255)	utf8mb4_general_ci		No	None			🥜 Change	😑 Drop	▼ More	е
+- performance_schema	3 real_name	varchar(255)	utf8mb4_general_ci		No	None			🥜 Change	Orop	▼ More	е
🕀 🗐 phpmyadmin	4 citizenship	varchar(255)	utf8mb4_general_ci		No	None			🥜 Change	😑 Drop	▼ More	е
richard_ricardo_avenger_db New Hero_character	↑ Check all	With selected	: 📑 Browse	🥜 Change	😑 Dro	р 🔑 Р	rimary 🕕	Unique 🛛 🐖 Index	Spatial	Tulltext		
🖶 – 🗊 test	Add 1	able structure 🧕		· ·	lize V G	D						_
	Indexes 😡											
	Action / Edit El Renar	ne 🤤 Drog	PRIMARY		Unique Yes	Packe No	d Columi hero_id	n Cardinality 10	Collation A	Null Com No	iment	
	Create an index on 1		columns	Go								

Example: "records" in hero_character table

	ools <u>H</u> elp							-		×			
Iocalhost / 127.0.0.1 / richard_ric×	+												
\leftarrow \rightarrow C \textcircled{a}	0 0	localhost/phpm	iyadmin/index.phj	p?route=/sql&s	server=1&db=r	ichard_ricardo_avenger	r_db&table=hero_character&pos=0 🏠	6	9 lii\	≡			
phpMyAdmin													
o 🗊 🛈 🖬 🕰	Brov	📑 Browse 🧏 Structure 📔 SQL 🔍 Search 👫 Insert 🚍 Export 🔂 Import 🥶 Privileges 🥜 Operations 🕸 Triggers											
Recent Favorites													
New	SELECT * FROM `hero_character` Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]												
m		how all Num	ber of rows: 25	✓ Filter	rows: Search	this table S	iort by key: None 🗸						
- richard_ricardo_avenger_db	+ Options ←T→	citizenship											
+ hero_character		/ Edit	⊒⊷і Сору	Delete	hero_id	name Iron Man	real_name Anthony Edward Stark	American		1.			
🖶 🗐 test		C Edit	ani Copy	 Delete 	2	Scarlet Witch	Wanda Maximoff	Sokovian					
		Cedit	in Copy in Copy	 Delete 	3	Thor	Thor Odinson	Asgardian					
		2 Edit	Bi Copy	Delete	4	Hulk	Robert Bruce Banner	American					
		2 Edit	a Copy	Delete	5	Ant-Man	Scott Edward Harris Lang	American					
		@ Edit	a Copy	Delete	6	Spider-Man	Peter Benjamin Parker	American					
		a Edit	ilie Copy	Delete	7	Star-Lord	Peter Jason Quill	American					
		🧷 Edit	iii Copy	Delete	8	Doctor Strange	Stephen Vincent Strange	American					
		/ Edit	a Copy	Delete	9	Valkyrie	Brunnhilde	Asgardian					
		🖉 Edit	Copy	Delete	10	Black Panther	TChalla	Wakandan		1.1			
			With selected: ber of rows: 25			Delete Export	iort by key: None 🗸						

Example: data privileges for user richarduser




Question 2 – Connect: PHP Chapter 4, eg008/9 and knowledge of SQL (5 points) Estimated time: 0 hours

- You can copy your files from Assignment 3. Technically you do not need to do anything for this question if you finished Assignment 3.
- Save question 2 files in "lastname_firstname_assignment6": (5 points, -5 points if there is any error)
 - o main.css
 - o richard_ricardo_database.php
 - richard_ricardo_database_error.php
- Create web page(s) that displays the default information (example shown).
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "Richard Ricardo Avenger Character" as the page title(s).
- Create file richard_ricardo_database.php (php code only, no html code) to connect to database
 - Use PDO (PHP Data Object) to interface with your MySQL database.
 - Connect to the **richard_ricardo_avenger_db** MySQL database (created in Q1), using username **richarduser** with password **richardpowerability**.
 - Use try {} catch () {} exception handling to detect if the connection is successful.
 - If the connection is not successful, show an error page richard_ricardo_database_error.php.
- Create a css file named **main.css** to format all pages by creating your own layout (no two students should have the same layout). You should use **the same css file** to format all questions.

Example: richard_ricardo_database.php (shows nothing, only has php code)

<u>File</u>		w HI	<u>s</u> tory <u>b</u> ookman	ks <u>1</u> 0	DIS	<u>H</u> eip	-		×
1	calhost	/my_pl	hp/ricardo_richa	×	+				
\leftarrow	\rightarrow	С	6	0	D	localhost/my_php/ricardo_richard_assignment3/richard_ricardo_database.php	\$ \bigtriangledown	lii\	≡



Question 3 – AJAX Search: PHP Chapter 4, eg008/9, SQL & AJAX (40 points) Estimated time: 2 hours

- Save question 3 files in folder "lastname_firstname_assignment6". (2 points)
 - o index.htm
 - o richardricardo_search.php
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "Richard Ricardo Avenger Character" as the page title(s) (<title> tag). (2 points)
- The index.htm web page should (36 points, no points if not using ajax)
 - Allow user to enter (part of) a Citizenship.
 - Have a search button.
 - Display search results without re-loading the page (use ajax instead).
 - Create an XMLHttpRequest object in a JavaScript function, which is triggered by user clicking the button.
 - o The XMLHttpRequest object uses richardricardo search.php to search the database.
 - **richardricardo_search.php** retrieves all the data from the hero_character database table, with citizenship value that contains the user input.
 - Use html table (or css) to format the output table (into rows and columns).
 - o The XMLHttpRequest object displays all retrieved data (without reloading index.htm).

Example: index.htm, before search

	🔀 R	ichard	Ricardo Avenge	Charac×	+								_		×
\leftarrow	\rightarrow	C	습	0 0	localho	nost/my_php/ric	ardo_richa	ard_assig	gnment6/	/index.htm			C	9 \	≡
			Rich	ard	Rica	ardo Av	/eng	er C	hara	acter -	Search	h			
			Searc	h foi	⁻ chai	racters w	vith th	his Ci	itizen	ship					
			Citizens	ship (c	ontain	ns): ame Searc	h]					
			Hero Cl	naract	ers wit	th the Citize	enship w	will be (display	ed here.					
			<u>Search</u>	<u>& Sp</u>	<u>lit</u>										
										©R	ichard Ricardo	Avenger Charac	ter		

Example: index.htm, after search

Richard Ricardo Avenger Character - Search Search for characters with this Citizenship												
Citizenship (contains): ame Search Character List (Character with Citizenship that constains "ame"):												
Character	ID Name	Name Real Name Citizenshi										
1	Iron Man	Anthony Edward Stark	American									
	Ant-Man	Scott Edward Harris Lang	American									
5			American									
5	Spider-Man	Peter Benjamin Parker	American									
		Peter Benjamin Parker Peter Jason Quill	American									
6	Spider-Man											
6	Spider-Man Star-Lord	Peter Jason Quill	American									

Question 4 – AJAX Search Split: PHP Ch 4, eg008/9, SQL, AJAX (45 points) Estimated time: 3 hours

- Save question 4 files in folder "lastname_firstname_assignment6". (2 points)
 - o richard_ricardo_ajaxsearch_single.htm
 - richardricardo_search_single.php
- The initial page and related outputs should look like the examples shown below.
- Create your page(s) using "Richard Ricardo Avenger Character" as the page title(s) (<title> tag). (2 points)
- When a user click on "Search & Split" link on index.htm, the user should be directed to
- richard_ricardo_ajaxsearch_single.htm. (2 points)

• The richard_ricardo_ajaxsearch_single.htm web page should (39 points, no points if not using ajax)

- Allow user to enter part of a real_name.
 - Have a search button.
 - Display search results without re-loading the page (use ajax instead).
 - Have four **read-only** textboxes for output.
 - Create an XMLHttpRequest object in a JavaScript function, which is triggered by user clicking the button.
 - The XMLHttpRequest object uses richardricardo_search_single.php to search the database.
 - richardricardo_search_single.php retrieves a row from the hero_character database table, with the real_name value contains the user input.
 - The XMLHttpRequest object uses the four textboxes to display the retrieved data. Do not recreate the four textboxes. Put data into the existing textboxes. (-10 points if recreating textboxes)
 - You were not taught how to split retrieved data. You need to do some research on this topic.
 Hint: ajaxRequest.responseText.split("").

Example: richard ricardo ajaxsearch single.htm, user input

🔀 Richar	d Ricardo Avenger Chara × +	_		×
$\leftarrow \rightarrow C$	ි localhost/my_php/ricardo_richard_assignment6/richard_ricardo_ajaxsearch_single.htm රු	0) \	
	Richard Ricardo Avenger Character - Search & Split			
	Search for character by Real Name			
	Real Name (contains): Wanda Search			
	Character information will be displayed in the textboxes below:			
	Character ID: Name:			
	Real Name: Citizenship:			
	Back to first page			
	© Richard Ricardo Avenger Charact	er		

LAan	1		naru_ncaru	_ 5		single.in	iii, aitei	searen						
	🔀 Ri	chard	Ricardo Avenger C	narac×	+						-	-		×
\leftarrow	\rightarrow	С			localhost/my	_php/ricardo	_richard_a	ssignment6,	6/ricl	:hard_ricardo_ajaxsearch_single.htm රු		\bigtriangledown	lu\	≡
			Richa	rd	Ricard	o Avei	nger	Chara	ac	cter - Search & Sp	lit			
			Search for character by Real Name											
			Real Nam	ie (co	ontains):	Wanda Search								
			Charact	er inf	formation	will be d	lisplaye	ed in the	e te	extboxes below:				
			Characte	ID:		2								
			Name:			Scarlet Wit	:ch							
			Real Nam	ie:		Wanda Max	ximoff							
			Citizensh	ip:		Sokovian								
			<u>Back to</u>	<u>first</u>	<u>page</u>									
										© Richard Ricardo Avenger Ch	aracter			
		Ľ							_			1		

Example: richard ricardo ajaxsearch single.htm, after search

Important:

- 1. If you do not put **<your name>** / **<your first name>** in the above mentioned fields (as shown in the examples), you will get **0 points** for the question(s).
- 2. No two students should submit webpages with exactly the same code, content, layout, or color combination. If found, both students will get **0** points.
- 3. When you view page source in a web browser, <!DOCTYPE html> must be at the top of every page. In other words, all pages must be written in HTML5. (-20 points if not)
 - You can put php code before <! DOCTYPE html>.
 - You cannot put html code before <! DOCTYPE html>.
- 4. Before adding PHP code, all html files must pass html validation at <u>http://validator.w3.org/</u> without any error (and with only 1 warning).
- 5. After adding PHP code, the generated html code (Firefox web browser > right-click > view page source) must also pass html validation at <u>http://validator.w3.org/</u> without any **error** (and with only 1 warning).
- 6. All css files must pass css validation at <u>http://jigsaw.w3.org/css-validator/</u> without any error/warning.
- 7. If your files do not pass the html and css validations, **2 points will be deducted** for **each html or css error/warning** found (1 warning allowed for html validator).
- 8. Document (comment) your HTML files (<!-- -->), CSS files (/* */), and PHP files (/* */ OR //). Points will be taken off for insufficient comments (<!-- -->, /* */, //).

Submission instructions:

- You need to test all document(s).
- Do screen capture(s) of the **input** and the related **output(s)**. Use any graphic editing software (e.g. Microsoft Paint, Adobe Photoshop, or GIMP etc.) to cut out the browser output (from the screen capture), paste them into a word document.
- Provide 2 different test cases for each question. In other words, for each question, you may need to have 2 input screen captures and 2 related output screen captures.
- Do NOT need to do screen capture(s) of html validation results and css validation results for this assignment.
- Save the word document as a pdf file.

You need to submit the following:

1. A pdf file containing the screen capture(s) of the web browser input and output pages, name the file **lastname_firstname_assignment6.pdf**.

2. All html file(s), php file(s), css file(s), and other related files (e.g. image files). Zip your file folder (lastname_firstname_assignment6) into a single zip file (or rar file) lastname_firstname_assignment6.zip. In the above example, the zip file should contain the following files and subfolders. If there is any image, there should be a \images\ subfolder.

- lastname_firstname_assignment6\create_db.sql
- lastname_firstname_assignment6\index.htm
- lastname_firstname_assignment6\main.css
- lastname_firstname_assignment6\richard_ricardo_ajaxsearch_single.htm
- lastname firstname assignment6\richard ricardo database.php
- lastname firstname assignment6\richard ricardo database error.php
- lastname firstname assignment6\richardricardo search.php
- lastname firstname assignment6\richardricardo search single.php

Please submit the above mentioned two files (.pdf and .zip) to D2L digital dropbox.

Grading guidelines (programming questions):

Your programs will be judged on several criteria, which are shown below.

- Correctness (50%): Does the program compile (run) correctly? Does the program do what it's supposed to do?
- Design (20%): Are operations broken down in a reasonable way (e.g. classes and methods)?
- Style (10%): Is the program indented properly? Do variables have meaningful names?
- Robustness (10%): Does the program handle erroneous or unexpected input gracefully?
- Documentation (10%): Do all program files begin with a **comment** that identifies the author, the course code, and the program date? Are all the classes, methods and data fields clearly **documented** (commented)? Are unclear parts of code documented (commented)? (Some items mentioned may not apply to some languages)

A program that does not compile (run) will get at most 50% of the possible points.