


CSCI 4000 Assignment 1 Sample Screen Captures


Student Name: **Richard Ricardo**

Question 1 Html validation screen capture



The screenshot shows the Nu Html Checker interface. At the top, it says "Nu Html Checker" and "This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change". Below that, it says "Showing results for uploaded file index.htm". The "Checker Input" section shows "Show" options for source, outline, and image report, with "Options..." next to them. The "Check by" dropdown is set to "file upload" and "Browse..." is visible. A message says "No file selected." and "Uploaded files with xhtml or .xht extensions are automatically processed as XHTML." There is a "Check" button. A green banner at the bottom says "Document checking completed. No errors or warnings to show." Below that, it says "The Content-Type header specified text/html. Used the HTML parser." and "Total execution time 3 milliseconds." At the bottom, there are links for "About this checker" and "Report an issue", and the version "16.3.9".


CSS validation screen capture (if same css file is used for all questions, only 1 screen capture is needed)



The screenshot shows the W3C CSS Validation Service interface. At the top, it says "The W3C CSS Validation Service" and "W3C CSS Validator results for style.css (CSS level 3)". Below that, there are links for "Jump to: Warnings (2) Validated CSS". A green banner at the bottom says "Congratulations! No Error Found." Below that, it says "This document validates as CSS level 3!". To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>  
  
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>
```

Example: Test case 1 input



Richard Ricardo's Movie P... X +

localhost/my_php/ricardo_richard_assignment1/q1/index.htm

Richard Ricardo's Favorite Movie

This page will prompt Richard Ricardo for information on his favorite movie.

Click on the button below to enter new information

Movie Name:

Directed by:

Release Date:

Budget (US\$, million):

Box Office (US\$, million):

Example: Test case 1 output



Richard Ricardo's Movie P... X +

localhost/my_php/ricardo_richard_assignment1/q1/index_process.php?team=Kung+


Richard Ricardo's Favorite Movie

This page displays the information of Richard Ricardo's favorite movie.

- Movie Name: Kung Fu Panda
- Directed by: John Stevenson
- Release Date: 2008
- Budget (US\$, million): 130
- Box Office (US\$, million): 632
- Profit (US\$, million): $\$632 - \$130 = \$502$ (million)

[back to first page](#)

Example: Test case 2 input



Richard Ricardo's Favorite Movie

This page will prompt Richard Ricardo for information on his favorite movie.

Click on the button below to enter new information

Movie Name:	<input type="text" value="Kung Fu Panda 2"/>
Directed by:	<input type="text" value="Jennifer Yuh Nelson"/>
Release Date:	<input type="text" value="2011"/>
Budget (US\$, million):	<input type="text" value="150"/>
Box Office (US\$, million):	<input type="text" value="665.7"/>

Example: Test case 2 output



Richard Ricardo's Favorite Movie


This page displays the information of Richard Ricardo's favorite movie.

- Movie Name: Kung Fu Panda 2
- Directed by: Jennifer Yuh Nelson
- Release Date: 2011
- Budget (US\$, million): 150
- Box Office (US\$, million): 665.7
- Profit (US\$, million): $\$665.7 - \$150 = \$515.7$ (million)

[back to first page](#)

Question 2

Html validation screen capture



Richard Ricardo's Kung Fu... Showing results for uploa... +

https://validator.w3.org/nu/#file

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.htm

Checker Input

Show source outline image report [Options...](#)

Check by **file upload** No file selected.

Uploaded files with xhtml or .xht extensions are automatically processed as XHTML.


Document checking completed. No errors or warnings to show.

The Content-Type header specified text/html. Used the HTML parser.
Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 16.3.9

CSS validation screen capture

(if same css file is used for all questions, only 1 screen capture is needed)



Richard Ricardo's Kung Fu... W3C CSS Validator results ... +

jigsaw.w3.org/css-validator/validator

The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3)

[Jump to: Warnings \(2\) Validated CSS](#)

W3C CSS Validator results for style.css (CSS level 3)

Congratulations! No Error Found.


This document validates as [CSS level 3](#)!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

Example: Test case 1 input



http://localhost/my_php/ricardo_richard_assignment1/q2/

Richard Ricardo's Dance Ticket Price


This page will decide the cost of Richard's dance ticket price based on his customer's age.

- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

Please enter customer's age

years old

Example: Test case 1 output



http://localhost/my_php/ricardo_richard_assignment1/q2/index_process.php

Richard Ricardo's Dance Ticket Price

This page will decide the cost of Richard's dance ticket price based on his customer's age.

- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

The customer is 3 years old, and the cost of Richard's ticket is \$3.00.

[back to first page](#)

Example: Test case 2 input

http://localhost/my_php/ricardo_richard_assignment1/q2/index.htm

Richard Ricardo's Dance Ticket Price

This page will decide the cost of Richard's dance ticket price based on his customer's age.

- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

Please enter customer's age

years old

Example: Test case 2 output

http://localhost/my_php/ricardo_richard_assignment1/q2/index_process.php

Richard Ricardo's Dance Ticket Price

This page will decide the cost of Richard's dance ticket price based on his customer's age.


- Under age 4 (age < 4) cost is \$3.00
- Between ages 4 and 16 ($4 \geq \text{age} \leq 16$) cost is \$7.00
- Older than 16 (age > 16) cost is \$9.00

The customer is 10 years old, and the cost of Richard's ticket is \$7.00.

[back to first page](#)

Question 3

Html validation screen capture



Richard Ricardo's Kung Fu... Showing results for uploa... +

https://validator.w3.org/nu/#file

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.htm

Checker Input

Show source outline image report [Options...](#)

Check by [Browse...](#) No file selected.

Uploaded files with xhtml or .xht extensions are automatically processed as XHTML.

[Check](#)


Document checking completed. No errors or warnings to show.

The Content-Type header specified text/html. Used the HTML parser.
Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 16.3.9

CSS validation screen capture

(if same css file is used for all questions, only 1 screen capture is needed)



Richard Ricardo's Kung Fu... W3C CSS Validator results ... +

jigsaw.w3.org/css-validator/validator

The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3)

[Jump to: Warnings \(2\) Validated CSS](#)

W3C CSS Validator results for style.css (CSS level 3)

Congratulations! No Error Found.

This document validates as [CSS level 3](#)!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
</p>
```

```
<p>
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
</p>
```

Example: Test case 1 input

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle
0 to 200: Po reaches the training hall
201 to 400: Po reaches the student barracks
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
601 to 800: Po climbs the Wu Da Mountains
801 to 1000: Po trains at the Pool of Sacred Tears
Greater than 1000: Po defeats Tai Lung

Click on the button below to submit Po's power level.

Po's power level:

Example: Test case 1 output

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle
0 to 200: Po reaches the training hall
201 to 400: Po reaches the student barracks
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
601 to 800: Po climbs the Wu Da Mountains
801 to 1000: Po trains at the Pool of Sacred Tears
Greater than 1000: Po defeats Tai Lung

Po's power level is 12.
Po reaches the training hall.

[back to first page](#)

Example: Test case 2 input

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle
0 to 200: Po reaches the training hall
201 to 400: Po reaches the student barracks
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
601 to 800: Po climbs the Wu Da Mountains
801 to 1000: Po trains at the Pool of Sacred Tears
Greater than 1000: Po defeats Tai Lung

Click on the button below to submit Po's power level.

Po's power level:

Example: Test case 2 output

Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle
0 to 200: Po reaches the training hall
201 to 400: Po reaches the student barracks
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
601 to 800: Po climbs the Wu Da Mountains
801 to 1000: Po trains at the Pool of Sacred Tears
Greater than 1000: Po defeats Tai Lung

Po's power level is 888.

Po trains at the Pool of Sacred Tears.

[back to first page](#)