


# CSCI 4000 Assignment 1 Sample Screen Captures


Student Name: Richard Ricardo

## Question 1 Html validation screen capture



The screenshot shows the Nu Html Checker interface. The browser address bar displays `https://validator.w3.org/nu/#file`. The page title is "Nu Html Checker". Below the title, there is a message: "This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change". The main heading is "Showing results for uploaded file index.htm". Under "Checker Input", there are checkboxes for "source", "outline", and "image report", along with an "Options..." button. The "Check by" dropdown is set to "file upload", and a "Browse..." button is visible. A message states "No file selected." and "Uploaded files with xhtml or .xht extensions are automatically processed as XHTML." A "Check" button is present. A green banner at the bottom of the checker area reads "Document checking completed. No errors or warnings to show." Below this, it says "The Content-Type header specified text/html. Used the HTML parser." and "Total execution time 3 milliseconds." At the very bottom, there are links for "About this checker" and "Report an issue", and the version number "Version: 16.3.9".

## CSS validation screen capture (if same css file is used for all questions, only 1 screen capture is needed)



The screenshot shows the W3C CSS Validation Service interface. The browser address bar displays `jigsaw.w3.org/css-validator/validator`. The page title is "The W3C CSS Validation Service". Below the title, it says "W3C CSS Validator results for style.css (CSS level 3)". There are links for "Jump to: Warnings (2) Validated CSS". A green banner at the top of the results area reads "Congratulations! No Error Found." Below this, it says "This document validates as CSS level 3!". A message states "To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:". Two examples of XHTML code are provided, each with a corresponding W3C CSS icon. The first icon is orange and the second is blue.

```
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>  
  
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>
```

## Test case 1 input

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/

## Richard Ricardo's Vehicle

This page will prompt Richard Ricardo for information on his dream vehicle.

**Click on the button below to enter new information**

Vehicle Type:

Color:

Year:

Make:

Model:

## Test case 1 output

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/index\_proc


## Richard Ricardo's Vehicle

**This page displays the information of Richard Ricardo's dream vehicle.**

- Vehicle Type: Sedan
- Color: Orange
- Year: 2012
- Make: Ford
- Model: Focus

[back to first page](#)

## Test case 2 input



Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/

## Richard Ricardo's Vehicle

This page will prompt Richard Ricardo for information on his dream vehicle.

**Click on the button below to enter new information**

Vehicle Type:


Color:

Year:

Make:

Model:

## Test case 2 output



Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/index\_proc

## Richard Ricardo's Vehicle


**This page displays the information of Richard Ricardo's dream vehicle.**

- Vehicle Type: Sports Car
- Color: Red
- Year: 2013
- Make: Lamborghini
- Model: Aventador LP 720-4

[back to first page](#)

## Question 2


### Html validation screen capture



The screenshot shows the Nu HTML Checker interface. The browser address bar displays `https://validator.w3.org/nu/#file`. The page title is "Nu Html Checker". Below the title, a message states: "This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change". The main heading is "Showing results for uploaded file index.htm". Under "Checker Input", there are options to show "source", "outline", or "image report", and a "Check by" dropdown set to "file upload". A "Check" button is visible. A green banner at the bottom of the results area reads: "Document checking completed. No errors or warnings to show." Below this, it notes: "The Content-Type header specified text/html. Used the HTML parser. Total execution time 4 milliseconds." At the very bottom, there are links for "About this checker", "Report an issue", and the version "16.3.9".

### CSS validation screen capture

(if same css file is used for all questions, only 1 screen capture is needed)



The screenshot shows the W3C CSS Validation Service interface. The browser address bar displays `jigsaw.w3.org/css-validator/validator`. The page title is "The W3C CSS Validation Service". Below the title, there is a "Jump to:" section with links for "Warnings (2)" and "Validated CSS". The main heading is "W3C CSS Validator results for style.css (CSS level 3)". A green banner at the top of the results area reads: "Congratulations! No Error Found." Below this, it states: "This document validates as CSS level 3!". A paragraph explains that users can display a validation icon on their page and provides the XHTML code for two icons: a red checkmark icon and a blue checkmark icon. The code for the red icon is:
 

```
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
```

 The code for the blue icon is:
 

```
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
```

## Example: Test case 1 input

Richard Ricardo's Movie T... X +

localhost/my\_php/ricardo\_richard\_assignment1/q2/index.htm

## Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.

- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ( $4 \geq \text{age} \leq 16$ ) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

**Please enter Richard's age**

years old

## Example: Test case 1 output

Richard Ricardo's Movie T... X +

localhost/my\_php/ricardo\_richard\_assignment1/q2/index\_process.php

## Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.

- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ( $4 \geq \text{age} \leq 16$ ) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

**Richard is 3 years old, and the cost of Richard's ticket is \$4.00.**

[back to first page](#)

## Example: Test case 2 input

Richard Ricardo's Movie T... X +

localhost/my\_php/ricardo\_richard\_assignment1/q2/index.htm

## Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.

- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ( $4 \geq \text{age} \leq 16$ ) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

**Please enter Richard's age**

years old

## Example: Test case 2 output

Richard Ricardo's Movie T... X +

localhost/my\_php/ricardo\_richard\_assignment1/q2/index\_process.php

## Richard Ricardo's Movie Ticket Price

This page will decide the cost of Richard's movie ticket price based on his age.


- Under age 4 (age < 4) cost is \$4.00
- Between ages 4 and 16 ( $4 \geq \text{age} \leq 16$ ) cost is \$8.00
- Older than 16 (age > 16) cost is \$10.00

**Richard is 16 years old, and the cost of Richard's ticket is \$8.00.**

[back to first page](#)

## Question 3

### Html validation screen capture



Richard Ricardo's Kung Fu... Showing results for uploa... +

https://validator.w3.org/nu/#file

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for uploaded file index.htm**

Checker Input

Show  source  outline  image report [Options...](#)

Check by   No file selected.

Uploaded files with xhtml or .xht extensions are automatically processed as XHTML.


**Document checking completed. No errors or warnings to show.**

The Content-Type header specified text/html. Used the HTML parser.  
Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 16.3.9

### CSS validation screen capture

(if same css file is used for all questions, only 1 screen capture is needed)



Richard Ricardo's Kung Fu... W3C CSS Validator results ... +

jigsaw.w3.org/css-validator/validator

## The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3)

[Jump to: Warnings \(2\) Validated CSS](#)

### W3C CSS Validator results for style.css (CSS level 3)

**Congratulations! No Error Found.**


This document validates as [CSS level 3](#)!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
</p>
```

```
<p>
<a href="http://jigsaw.w3.org/css-validator/check/referer">
  
</a>
</p>
```

## Example: Test case 1 input



http://localhost/my\_php/ricardo\_richard\_assignment1/q3/

## Richard Ricardo's Kung Fu Panda Po Power Level


This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much pho  
0 to 10: Po protects the valley of peace  
11 to 20: Po defeats wolf bandits  
21 to 30: Po reaches Gongmen City  
31 to 40: Po destroys the tower and an arsenal of cannons  
Greater than 40: Po defeats Lord Shen

**Click on the button below to submit Po's power level.**

**Po's power level:**

## Example: Test case 1 output



http://localhost/my\_php/ricardo\_richard\_assignment1/q3/index\_process.php?power=

## Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.


less than 0: Po eats too much pho  
0 to 10: Po protects the valley of peace  
11 to 20: Po defeats wolf bandits  
21 to 30: Po reaches Gongmen City  
31 to 40: Po destroys the tower and an arsenal of cannons  
Greater than 40: Po defeats Lord Shen

**Po's power level is 11.**  
**Po defeats wolf bandits.**

[back to first page](#)



## Example: Test case 2 input



http://localhost/my\_php/ricardo\_richard\_assignment1/q3/index.htm

## Richard Ricardo's Kung Fu Panda Po Power Level


This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much pho  
0 to 10: Po protects the valley of peace  
11 to 20: Po defeats wolf bandits  
21 to 30: Po reaches Gongmen City  
31 to 40: Po destroys the tower and an arsenal of cannons  
Greater than 40: Po defeats Lord Shen

**Click on the button below to submit Po's power level.**

**Po's power level:**

## Example: Test case 2 output



http://localhost/my\_php/ricardo\_richard\_assignment1/q3/index\_process.php?power=

## Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much pho  
0 to 10: Po protects the valley of peace  
11 to 20: Po defeats wolf bandits  
21 to 30: Po reaches Gongmen City  
31 to 40: Po destroys the tower and an arsenal of cannons  
Greater than 40: Po defeats Lord Shen

**Po's power level is 45.**

**Po defeats Lord Shen.**

[back to first page](#)