


# CSCI 4000 Assignment 1 Sample Screen Captures


Student Name: Richard Ricardo

## Question 1 Html validation screen capture



The screenshot shows the Nu Html Checker interface. The browser address bar displays `https://validator.w3.org/nu/#file`. The page title is "Nu Html Checker". Below the title, a message states: "This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change". The main heading is "Showing results for uploaded file index.htm". Under "Checker Input", there are checkboxes for "source", "outline", and "image report", along with an "Options..." button. The "Check by" dropdown is set to "file upload" with a "Browse..." button next to it, and the text "No file selected." is displayed. A "Check" button is at the bottom left. A green banner at the top of the results area says "Document checking completed. No errors or warnings to show." Below this, it notes: "The Content-Type header specified text/html. Used the HTML parser. Total execution time 3 milliseconds." At the bottom, there are links for "About this checker" and "Report an issue", and the version number "16.3.9".

## CSS validation screen capture (same css file is used for all questions, only 1 screen capture is needed)



The screenshot shows the W3C CSS Validation Service interface. The browser address bar displays `jigsaw.w3.org/css-validator/validator`. The page title is "The W3C CSS Validation Service". Below the title, it says "W3C CSS Validator results for style.css (CSS level 3)". There are two links: "Jump to: Warnings (2) Validated CSS". A green banner at the top of the results area says "Congratulations! No Error Found." Below this, it states: "This document validates as CSS level 3!". A paragraph follows: "To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:". Two examples of XHTML code are provided, each with a corresponding W3C CSS icon. The first icon is orange and red, and the second is blue. The code for the first icon is: 

```
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>
```

 The code for the second icon is: 

```
<p>  
<a href="http://jigsaw.w3.org/css-validator/check/referer">  
  
</a>  
</p>
```

## Test case 1 input

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/

## Richard Ricardo's Vehicle

This page will prompt Richard Ricardo for information on his dream vehicle.

**Click on the button below to enter new information**

Vehicle Type:

Color:

Year:

Make:

Model:

## Test case 1 output

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/index\_proc

## Richard Ricardo's Vehicle

**This page displays the information of Richard Ricardo's dream vehicle.**

- Vehicle Type: Sedan
- Color: Orange
- Year: 2012
- Make: Ford
- Model: Focus

[back to first page](#)

## Test case 2 input

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/

# Richard Ricardo's Vehicle

This page will prompt Richard Ricardo for information on his dream vehicle.

**Click on the button below to enter new information**

Vehicle Type:

Color:

Year:

Make:

Model:

## Test case 2 output

Richard Ricardo's Vehicle ... × +

localhost/my\_php/ricardo\_richard\_assignment1/q1/index\_proc

# Richard Ricardo's Vehicle


**This page displays the information of Richard Ricardo's dream vehicle.**

- Vehicle Type: Sports Car
- Color: Red
- Year: 2013
- Make: Lamborghini
- Model: Aventador LP 720-4

[back to first page](#)


## Question 2

### Html validation screen capture



The screenshot shows a web browser window with the URL `https://validator.w3.org/nu/#file`. The page title is "Nu Html Checker". Below the title, there is a message: "This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change". The main heading is "Showing results for uploaded file index.htm". Underneath, there is a "Checker Input" section with a "Show" dropdown menu (set to "source"), "outline", and "image report" checkboxes, and an "Options..." button. The "Check by" dropdown is set to "file upload", and there is a "Browse..." button and the text "No file selected.". Below this, it says "Uploaded files with xhtml or .xht extensions are automatically processed as XHTML." and a "Check" button. A green banner at the bottom of the checker input section reads "Document checking completed. No errors or warnings to show." Below the banner, it says "The Content-Type header specified text/html. Used the HTML parser." and "Total execution time 4 milliseconds." At the bottom of the page, there are links for "About this checker", "Report an issue", and "Version: 16.3.9".

### Test case 1 input



The screenshot shows a web browser window with the URL `localhost/my_php/ricardo_richard_assignment1/q2/`. The page title is "Richard Ricardo's Soccer Ticket Price". The main heading is "Richard Ricardo's Soccer Ticket Price". Below the heading, there is a message: "This page will decide the cost of Richard's soccer ticket price based on his age." followed by a bulleted list of ticket prices based on age:

- Under age 5 (age < 5) cost is \$2.00
- Between ages 5 and 15 ( $5 \geq \text{age} \leq 15$ ) cost is \$6.00
- Older than 15 (age > 15) cost is \$8.00

Below the list, there is a form with the label "Please enter Richard's age". The form contains a text input field with the value "3" and the text "years old". Below the input field is a "submit" button.

## Test case 1 output

Richard Ricardo's Soccer Ticket Price

This page will decide the cost of Richard's soccer ticket price based on his age.

- Under age 5 (age < 5) cost is \$2.00
- Between ages 5 and 15 ( $5 \geq \text{age} \leq 15$ ) cost is \$6.00
- Older than 15 (age > 15) cost is \$8.00

**Richard is 3 years old, and the cost of Richard's ticket is \$2.00.**

[back to first page](#)

## Test case 2 input

Richard Ricardo's Soccer Ticket Price

This page will decide the cost of Richard's soccer ticket price based on his age.

- Under age 5 (age < 5) cost is \$2.00
- Between ages 5 and 15 ( $5 \geq \text{age} \leq 15$ ) cost is \$6.00
- Older than 15 (age > 15) cost is \$8.00

**Please enter Richard's age**

years old

## Test case 2 output

Richard Ricardo's Soccer Ticket Price

This page will decide the cost of Richard's soccer ticket price based on his age.

- Under age 5 (age < 5) cost is \$2.00
- Between ages 5 and 15 ( $5 \geq \text{age} \leq 15$ ) cost is \$6.00
- Older than 15 (age > 15) cost is \$8.00

**Richard is 10 years old, and the cost of Richard's ticket is \$6.00.**

[back to first page](#)

### Question 3

#### Html validation screen capture

Richard Ricardo's Kung Fu... Showing results for uploa... +

https://validator.w3.org/nu/#file

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

**Showing results for uploaded file index.htm**

Checker Input

Show  source  outline  image report

Check by   No file selected.

Uploaded files with xhtml or .xht extensions are automatically processed as XHTML.

**Document checking completed. No errors or warnings to show.**

The Content-Type header specified text/html. Used the HTML parser.  
Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 16.3.9

#### Test case 1 input

Richard Ricardo's Kung Fu Panda  
Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

- less than 0: Po eats too much noodle
- 0 to 200: Po reaches the training hall
- 201 to 400: Po reaches the student barracks
- 401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
- 601 to 800: Po climbs the Wu Da Mountains
- 801 to 1000: Po trains at the Pool of Sacred Tears
- Greater than 1000: Po defeats Tai Lung

**Click on the button below to submit Po's power level.**

Po's power level:

## Test case 1 output

Richard Ricardo's Kung Fu Panda  
Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle  
0 to 200: Po reaches the training hall  
201 to 400: Po reaches the student barracks  
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom  
601 to 800: Po climbs the Wu Da Mountains  
801 to 1000: Po trains at the Pool of Sacred Tears  
Greater than 1000: Po defeats Tai Lung

**Po's power level is 12.**  
**Po reaches the training hall.**

[back to first page](#)

## Test case 2 input

Richard Ricardo's Kung Fu Panda  
Po Power Level


This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

less than 0: Po eats too much noodle  
0 to 200: Po reaches the training hall  
201 to 400: Po reaches the student barracks  
401 to 600: Po reaches the Peach Tree of Heavenly Wisdom  
601 to 800: Po climbs the Wu Da Mountains  
801 to 1000: Po trains at the Pool of Sacred Tears  
Greater than 1000: Po defeats Tai Lung

**Click on the button below to submit Po's power level.**

**Po's power level:**

## Test case 2 output



The screenshot shows a web browser window with the following content:

## Richard Ricardo's Kung Fu Panda Po Power Level

This page will prompt Richard Ricardo for Kung Fu Panda Po's power level (in number). The program will convert the given input into Po's power metric.

- less than 0: Po eats too much noodle
- 0 to 200: Po reaches the training hall
- 201 to 400: Po reaches the student barracks
- 401 to 600: Po reaches the Peach Tree of Heavenly Wisdom
- 601 to 800: Po climbs the Wu Da Mountains
- 801 to 1000: Po trains at the Pool of Sacred Tears
- Greater than 1000: Po defeats Tai Lung

**Po's power level is 888.**

**Po trains at the Pool of Sacred Tears.**

[back to first page](#)